


EPC CORES



TYPE		EPC10	EPC13	EPC17	EPC19	EPC25	EPC27	EPC30
DIMENSIONS (mm)	A	10.2±0.2	13.2±0.25	17.6±0.38	19.1±0.5	25.1±0.5	27.1±0.5	30.1±0.5
	B	7.6	10.7±0.2	14.3	15.8	20.65	21.6	23.6
	B1	5.3	8.4±0.2	11.5	13.1	17.1	18.5	20
	C	5.0±0.1	5.6±0.1	7.7±0.15	8.5±0.15	11.5±0.2	13.0±0.3	15.0±0.3
	D	1.9±0.1	2.1±0.1	2.8±0.1	2.5±0.1	4.0±0.1	4.0±0.1	4.0±0.1
	D1	3.4±0.1	4.6±0.15	6.0±0.15	6.0±0.15	8.0±0.2	8.0±0.2	8.0±0.2
	2E	5.3±0.2	9.2±0.4	12.1±0.4	14.5±0.4	18±0.6	24±0.6	26±0.6
	2F	8.1±0.2	13.2±0.4	17.1±0.4	19.5±0.4	25±0.4	32±0.4	35±0.4
CORE FACTOR	$C_1(\text{mm}^{-1})$	1.89	2.45	1.76	2.03	1.28	1.34	1.32
EFFECTIVE LENGTH	$l(\text{mm})$	17.8	30.6	40.2	46.1	59.2	73.1	81.6
EFFECTIVE AREA	$V_e(\text{mm}^2)$	9.39	12.5	22.8	22.7	46.4	54.6	61
EFFECTIVE VOLUME	$V_e(\text{mm}^3)$	167	383	917	1047	2748	4000	5035
APPROX WEIGHT/set	W(g)	1.1	2.1	4.5	5.3	13.2	19.2	24.2
	JP4A	1000	870	1150	940	1560	1540	1570
A_L VALUE (nH±25%)								