


LTR	REVISION	DATE	APPD
-	RELEASED	12-02-09	



NOTES:

1. SLEEVE MATERIAL: RYNITE FR530
2. BASE MATERIAL: BRASS
NICKEL PLATED BRASS
3. PARTS WITH (*) ARE RoHS CERTIFIED.

REVISION NOTIFICATION	
<input type="checkbox"/>	PMA
<input type="checkbox"/>	UL
<input type="checkbox"/>	CUSTOMER _____
<input type="checkbox"/>	OTHER

SLF464-0AG-120A*	AQUA GREEN	120VAC	8	0.8-1.2 W	1100	AC VOLTAGE	-	525	120°	*
SLF464-0CW-120A*	COOL WHITE	120VAC	8	-	424	AC VOLTAGE	68-70	7000K	120°	*
SLF464-0PB-120A	SUPER BLUE	120VAC	8	-	-	AC VOLTAGE	-	465	120°	
SLF464-0UG-120A	LIME GREEN	120VAC	8	0.8-1.2 W	116	AC VOLTAGE	-	570	120°	
SLF464-0UO-120A	SUPER ORANGE	120VAC	8	-	-	AC VOLTAGE	-	610	120°	
SLF464-0UR-120A*	ULTRA RED	120VAC	8	-	200	AC VOLTAGE	-	652	120°	*
SLF464-1AG-120A	AQUA GREEN	120VAC	8	-	-	AC VOLTAGE	-	525	120°	
LEDTRONICS PART NO.	COLOR EMITTED	INPUT VOLTAGE	INPUT CURRENT (mA)	ENERGY USED (WATTS)	Iv, mcd (typ)	CENTER CONTACT POLARITY	CRI	λP nm	FULL VIEWING ANGLE	
ELECTRICAL TEST										



-PROPRIETARY-
This document contains Proprietary information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.

.XXX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°,30'
FRACT. ± 1/32

TITLE					
SLF464-XXX-120A					
DWG NO	SCALE	SHEET	DATE		
SLF464-120V-AC	1:1	1 OF 1	12-02-09		
CODE IDENT NO.	DWG BY	CHK BY	QA	MFG	R&D
8Z410	GP 12-02-09	PL 12-03-09			