



RECOMMENDED PAD LAYOUT

LEDTRONICS PART NO.	L.E.D. RADIATION COLOR	ELECTRO-OPTICAL CHARACTERISTICS (T _a =25°C)				
		I _f =mA typ	I _v mod mIn/typ	V _f =V typ/max	VIEW ANGLE	λ _P nm
21RPT280TWRG4H-3C	HI-EFF RED	20	2.1/3.5	1.9/2.4	65	635
	HI-EFF GREEN	20	2.6/4.0	2.1/2.7	65	565

<p>LEDTRONICS, INC. 23105 KASHIWA COURT TORRANCE, CA 90505</p>	<p align="center">-PROPRIETARY-</p> <p>This document contains Proprietary Information of LEDTRONICS, INC. It may not be copied, used or disclosed for any purpose without the prior express written consent of LEDTRONICS, INC.™</p>		<p align="center">TITLE</p> <h2 align="center">21RPT280TWRG4H-3C</h2>					
	<p>DWG NO</p> <p align="center">SDPC0225</p>		<p>SCALE</p> <p align="center">2:1</p>		<p>SHEET</p> <p align="center">1 OF 1</p>		<p>DATE</p> <p align="center">06-23-97</p>	
	<p>CODE IDENT NO.</p> <p>8Z410</p>		<p>DWG BY</p> <p>SMA</p>		<p>CHK BY</p> <p>PL</p> <p>5-25-00</p>		<p>QA</p> <p>MFG</p> <p>CUSTOMER</p>	

.XX ± .010 TOLERANCE PER ANSI-Y14.5
.XX ± .025 (UNLESS OTHERWISE STATED)
ANGLES ± 0°,30'
FRACT. ± 1/32