

ZL Strain Relief Plates

for Screw Assembly




The strain relief plate ZL is used for static or dynamic applications for organizing and securing cables on machines, control panels or cable carriers.

The design of the strain relief unit provides secure strain relief according to EN 62444. Mount of the cables or pneumatic tubing is easily done using cable ties.

By using aluminum (ZL-AB types) or brass (ZL-MS types) nuts for the screw holes, a better fit of the strain relief plate is achieved, even in high vibration environments.

Strain relief plates ZL 03 | 04 | 05 feature different comb widths. Thus providing a multi-purpose product for various cable sizes.

For multilayer installation please use DH spacers.



Specifications

Material	Polyamide Inlay bushings: Aluminum Inlay bushings: Brass
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 140 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting


Advantages & Benefits


- Strain relief according to EN 62444
- Fast and easy mounting
- Cost-effective solution
- High cable density
- Versatile utilization


Product types & Sizes


	ZL 39	Part No.	32222	Height	10 mm
		EAN	4251269300837	No. of teeth	3
		PU	10	No. of screw holes	2
		For max. no. of cables	3	Diam. of screw holes	9 mm
		Length L1	38.5 mm		
		Length L2	19.5 mm		
		Width	40 mm		


	ZL 60	Part No.	32224	Height	10 mm
		EAN	4251269300844	No. of teeth	4
		PU	10	No. of screw holes	2
		For max. no. of cables	4	Diam. of screw holes	9 mm
		Length L1	59.5 mm		
		Length L2	43.5 mm		
		Width	40 mm		


ZL 70 	Part No.	32226	Height	10 mm
	EAN	4251269300851	No. of teeth	5
	PU	10	No. of screw holes	2
	For max. no. of cables	5	Diam. of screw holes	9 mm
	Length L1	69.1 mm		
	Length L2	43.5 mm		
	Width	40 mm		

ZL 87 	Part No.	32228	Height	10 mm
	EAN	4251269300868	No. of teeth	6
	PU	10	No. of screw holes	2
	For max. no. of cables	6	Diam. of screw holes	9 mm
	Length L1	86.5 mm		
	Length L2	68 mm		
	Width	40 mm		

ZL 103 	Part No.	32230	Height	10 mm
	EAN	4251269300875	No. of teeth	7
	PU	10	No. of screw holes	2
	For max. no. of cables	7	Diam. of screw holes	9 mm
	Length L1	102 mm		
	Length L2	84 mm		
	Width	40 mm		

ZL 121 	Part No.	32232	Height	10 mm
	EAN	4251269300882	No. of teeth	8
	PU	10	No. of screw holes	2
	For max. no. of cables	8	Diam. of screw holes	9 mm
	Length L1	121 mm		
	Length L2	102.5 mm		
	Width	40 mm		

ZL 140 	Part No.	32234	Height	10 mm
	EAN	4251269300899	No. of teeth	9
	PU	10	No. of screw holes	2
	For max. no. of cables	9	Diam. of screw holes	9 mm
	Length L1	139.5 mm		
	Length L2	121 mm		
	Width	40 mm		

ZL 180 	Part No.	32236	Height	10 mm
	EAN	4251269300905	No. of teeth	12
	PU	10	No. of screw holes	2
	For max. no. of cables	12	Diam. of screw holes	9 mm
	Length L1	180 mm		
	Length L2	157 mm		
	Width	40 mm		

ZL 39 AB M4

Part No.	32270	Height	10.2 mm
EAN	4251269301001	Mounting height	10.2 mm
PU	10	No. of teeth	3
For max. no. of cables	3	No. of screw holes	2
Length L1	38.5 mm	Diam. of screw holes	4.1 mm
Length L2	19.5 mm		
Width	40 mm		

ZL 39 AB M5

Part No.	32280	Height	10.2 mm
EAN	4251269301087	Mounting height	10.2 mm
PU	10	No. of teeth	3
For max. no. of cables	3	No. of screw holes	2
Length L1	38.5 mm	Diam. of screw holes	5.2 mm
Length L2	19.5 mm		
Width	40 mm		

ZL 39 AB M6

Part No.	32290	Height	10.2 mm
EAN	4251269301162	Mounting height	10.2 mm
PU	10	No. of teeth	3
For max. no. of cables	3	No. of screw holes	2
Length L1	38.5 mm	Diam. of screw holes	6.2 mm
Length L2	19.5 mm		
Width	40 mm		

ZL 60 AB M4

Part No.	32271	Height	10.2 mm
EAN	4251269301018	Mounting height	10.2 mm
PU	10	No. of teeth	4
For max. no. of cables	4	No. of screw holes	2
Length L1	59.5 mm	Diam. of screw holes	4.1 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 60 AB M5

Part No.	32281	Height	10.2 mm
EAN	4251269301094	Mounting height	10.2 mm
PU	10	No. of teeth	4
For max. no. of cables	4	No. of screw holes	2
Length L1	59.5 mm	Diam. of screw holes	5.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 60 AB M6

Part No.	32291	Height	10.2 mm
EAN	4251269301179	Mounting height	10.2 mm
PU	10	No. of teeth	4
For max. no. of cables	4	No. of screw holes	2
Length L1	59.4 mm	Diam. of screw holes	6.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 70 AB M4

Part No.	32272	Height	10.2 mm
EAN	4251269301025	Mounting height	10.2 mm
PU	10	No. of teeth	5
For max. no. of cables	5	No. of screw holes	2
Length L1	69.1 mm	Diam. of screw holes	4.1 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 70 AB M5

Part No.	32282	Height	10.2 mm
EAN	4251269301100	Mounting height	10.2 mm
PU	10	No. of teeth	5
For max. no. of cables	5	No. of screw holes	2
Length L1	69.1 mm	Diam. of screw holes	5.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 70 AB M6

Part No.	32292	Height	10.2 mm
EAN	4251269301186	Mounting height	10.2 mm
PU	10	No. of teeth	5
For max. no. of cables	5	No. of screw holes	2
Length L1	69.1 mm	Diam. of screw holes	6.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 87 AB M4

Part No.	32273	Height	10.2 mm
EAN	4251269301032	Mounting height	10.2 mm
PU	10	No. of teeth	6
For max. no. of cables	6	No. of screw holes	2
Length L1	86.5 mm	Diam. of screw holes	4.1 mm
Length L2	68 mm		
Width	40 mm		

ZL 87 AB M5

Part No.	32283	Height	10.2 mm
EAN	4251269301117	Mounting height	10.2 mm
PU	10	No. of teeth	6
For max. no. of cables	6	No. of screw holes	2
Length L1	86.5 mm	Diam. of screw holes	5.2 mm
Length L2	68 mm		
Width	40 mm		

ZL 87 AB M6

Part No.	32293	Height	10.2 mm
EAN	4251269301193	Mounting height	10.2 mm
PU	10	No. of teeth	6
For max. no. of cables	6	No. of screw holes	2
Length L1	86.5 mm	Diam. of screw holes	6.2 mm
Length L2	68 mm		
Width	40 mm		

ZL 103 AB M4

Part No.	32275	Height	10.2 mm
EAN	4251269301056	Mounting height	10.2 mm
PU	10	No. of teeth	7
For max. no. of cables	7	No. of screw holes	2
Length L1	102.5 mm	Diam. of screw holes	4.1 mm
Length L2	84 mm		
Width	40 mm		

ZL 103 AB M5

Part No.	32284	Height	10.2 mm
EAN	4251269301124	Mounting height	10.2 mm
PU	10	No. of teeth	7
For max. no. of cables	7	No. of screw holes	2
Length L1	102.5 mm	Diam. of screw holes	5.2 mm
Length L2	84 mm		
Width	40 mm		

ZL 103 AB M6

Part No.	32294	Height	10.2 mm
EAN	4251269301209	Mounting height	10.2 mm
PU	10	No. of teeth	7
For max. no. of cables	7	No. of screw holes	2
Length L1	102.5 mm	Diam. of screw holes	6.2 mm
Length L2	84 mm		
Width	40 mm		

ZL 121 AB M4

Part No.	32277	Height	10.2 mm
EAN	4251269301070	Mounting height	10.2 mm
PU	10	No. of teeth	8
For max. no. of cables	8	No. of screw holes	2
Length L1	121 mm	Diam. of screw holes	4.1 mm
Length L2	102.5 mm		
Width	40 mm		

ZL 121 AB M5

Part No.	32285	Height	10.2 mm
EAN	4251269301131	Mounting height	10.2 mm
PU	10	No. of teeth	8
For max. no. of cables	8	No. of screw holes	2
Length L1	121 mm	Diam. of screw holes	5.2 mm
Length L2	102.5 mm		
Width	40 mm		

ZL 121 AB M6

Part No.	32295	Height	10.2 mm
EAN	4251269301216	Mounting height	10.2 mm
PU	10	No. of teeth	8
For max. no. of cables	8	No. of screw holes	2
Length L1	121 mm	Diam. of screw holes	6.2 mm
Length L2	102.5 mm		
Width	40 mm		

ZL 140 AB M4

Part No.	32274	Height	10.2 mm
EAN	4251269301049	Mounting height	10.2 mm
PU	10	No. of teeth	9
For max. no. of cables	9	No. of screw holes	2
Length L1	139.5 mm	Diam. of screw holes	4.1 mm
Length L2	121 mm		
Width	40 mm		

ZL 140 AB M5

Part No.	32286	Height	10.2 mm
EAN	4251269301148	Mounting height	10.2 mm
PU	10	No. of teeth	9
For max. no. of cables	9	No. of screw holes	2
Length L1	139.5 mm	Diam. of screw holes	5.2 mm
Length L2	121 mm		
Width	40 mm		

ZL 140 AB M6

Part No.	32296	Height	10.2 mm
EAN	4251269301223	Mounting height	10.2 mm
PU	10	No. of teeth	9
For max. no. of cables	9	No. of screw holes	2
Length L1	139.5 mm	Diam. of screw holes	6.2 mm
Length L2	121 mm		
Width	40 mm		

ZL 180 AB M4

Part No.	32276	Height	10.2 mm
EAN	4251269301063	Mounting height	10.2 mm
PU	10	No. of teeth	12
For max. no. of cables	12	No. of screw holes	2
Length L1	180 mm	Diam. of screw holes	4.1 mm
Length L2	157 mm		
Width	40 mm		

ZL 180 AB M5

Part No.	32287	Height	10.2 mm
EAN	4251269301155	Mounting height	10.2 mm
PU	10	No. of teeth	12
For max. no. of cables	12	No. of screw holes	2
Length L1	180 mm	Diam. of screw holes	5.2 mm
Length L2	157 mm		
Width	40 mm		

ZL 180 AB M6

Part No.	32297	Height	10.2 mm
EAN	4251269301230	Mounting height	10.2 mm
PU	10	No. of teeth	12
For max. no. of cables	12	No. of screw holes	2
Length L1	180 mm	Diam. of screw holes	6.2 mm
Length L2	157 mm		
Width	40 mm		

ZL 39 MS M5

Part No.	32360	Height	10.2 mm
EAN	4251269301322	Mounting height	10.2 mm
PU	10	No. of teeth	3
For max. no. of cables	3	No. of screw holes	2
Length L1	38.5 mm	Diam. of screw holes	5.2 mm
Length L2	19.5 mm		
Width	40 mm		

ZL 60 MS M5

Part No.	32361	Height	10.2 mm
EAN	4251269301339	Mounting height	10.2 mm
PU	10	No. of teeth	4
For max. no. of cables	4	No. of screw holes	2
Length L1	59.5 mm	Diam. of screw holes	5.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 70 MS M5

Part No.	32362	Height	10.2 mm
EAN	4251269301346	Mounting height	10.2 mm
PU	10	No. of teeth	5
For max. no. of cables	5	No. of screw holes	2
Length L1	69 mm	Diam. of screw holes	5.2 mm
Length L2	43.5 mm		
Width	40 mm		

ZL 87 MS M5

Part No.	32363	Height	10.2 mm
EAN	4251269301353	Mounting height	10.2 mm
PU	10	No. of teeth	6
For max. no. of cables	6	No. of screw holes	2
Length L1	86.5 mm	Diam. of screw holes	5.2 mm
Length L2	68 mm		
Width	40 mm		

ZL 103 MS M5

Part No.	32364	Height	10.2 mm
EAN	4251269301360	Mounting height	10.2 mm
PU	10	No. of teeth	7
For max. no. of cables	7	No. of screw holes	2
Length L1	102.5 mm	Diam. of screw holes	5.2 mm
Length L2	84 mm		
Width	40 mm		

ZL 121 MS M5

Part No.	32365	Height	10.2 mm
EAN	4251269301377	Mounting height	10.2 mm
PU	10	No. of teeth	8
For max. no. of cables	8	No. of screw holes	2
Length L1	121 mm	Diam. of screw holes	5.2 mm
Length L2	102.5 mm		
Width	40 mm		

ZL 140 MS M5

Part No.	32366	Height	10.2 mm
EAN	4251269301384	Mounting height	10.2 mm
PU	10	No. of teeth	9
For max. no. of cables	9	No. of screw holes	2
Length L1	139.5 mm	Diam. of screw holes	5.2 mm
Length L2	121 mm		
Width	40 mm		

ZL 180 MS M5

Part No.	32367	Height	10.2 mm
EAN	4251269301391	Mounting height	10.2 mm
PU	10	No. of teeth	12
For max. no. of cables	12	No. of screw holes	2
Length L1	180 mm	Diam. of screw holes	5.2 mm
Length L2	157 mm		
Width	40 mm		

ZL 03

Part No.	32112	Height	9.3 mm
EAN	4251269300806	No. of teeth	4
PU	10	No. of teeth (slim)	7
For max. no. of cables	7	Diam. of screw holes	5.5 mm
Length L1	63.4 mm		
Length L2	42 mm		
Width	35 mm		

ZL 04

Part No.	32114	Height	9.3 mm
EAN	4251269300813	No. of teeth	6
PU	10	No. of teeth (slim)	11
For max. no. of cables	11	Diam. of screw holes	5.5 mm
Length L1	95 mm		
Length L2	74.5 mm		
Width	35 mm		

ZL 05

Part No.	32116	Height	10 mm
EAN	4251269300820	No. of teeth	7
PU	10	Diam. of screw holes	9 mm
For max. no. of cables	13		
Length L1	102.5 mm		
Length L2	84 mm		
Width	40 mm		