

universal busbar support (01500)



The picture may show a similar product.

Description

Part No.: 01500
universal busbar support
3-pole with additional external screw holes
for busbars 12, 15, 20, 25, 30 x 5, 10

System

60Classic

Product group 06

Subgroup 09

pack size 10

EAN 4021267015008

Advantages of the product

With additional external screw holes
can also be used as centre support

catalog page 2020 : 3.1

eCl@ss 6.1 27400607

eCl@ss 7.1 27400607

ETIM 4.0 EC001166

ETIM 5.0 EC001166

Approvals

Standards

IEC 61439-1:2011

GB/T 7251.1

Approvals

DNV GL, EAC



type number: S610

EAC Type: SB

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

GB/T 7251.1

Electrical data IEC

rated voltage (IEC) AC: 690 V

rated frequency (IEC): 50 / 60 Hz

rated isolation voltage U_i AC: 1000 V

rated surge voltage U_{imp} : 8 kV

The insulation performance of the article depends on the installation conditions.

power dissipation of the article:

The power dissipation at a typical load of 80 % results to 0 W.

(The power dissipation at full load would be 0 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 1500 V

rated peak withstand current I_{pk} max.: 73 kA

Mechanical data

W x H x D: 20 x 215 x 50

weight: 13.7 kg/100

poles: 3-pole


for busbars: 12, 15, 20, 25, 30 x 5, 10

Material properties

Main body: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600,
halogen-free

Screws: screw +/- (PZ2), galvanized, chromized

Accessories



01573

end cover

for busbar supports 01484, 01495, 01500, 01508 and 01603